



Kun-Manie Nickel and Copper Project

30 June 2018 Drill Update



30 June 2018

Maly Kurumkon / Flangovy Drill Status - Complete



30 June 2018

Maly Kurumkon / Flangovy Drill Results – (ASL – RFA)



Hole	From (m)	To (m)	Length (m)	Ni %	Cu %	Vertical Thickness (m)
C507	27.1	37.6	10.5	0.76	0.21	10.1
	48.1	55.4	7.3	0.58	0.18	7.1
C508	59.6	65.6	6.0	0.59	0.22	5.8
	74.6	82.0	7.4	0.67	0.16	7.1
C509	86.0	92.0	6.0	0.98	0.28	5.8
	96.5	110.0	13.5	0.67	0.21	13.0
	113.0	120.8	7.8	0.63	0.15	7.5
C510	124.6	129.0	4.4	0.60	0.09	4.3
	136.5	141.4	4.9	0.55	0.17	4.7
C511	143.6	150.4	6.8	0.79	0.16	6.6
	160.5	166.0	5.5	0.72	0.10	5.3
C512	208.3	215.8	7.5	1.02	0.23	7.2
	227.8	232.3	4.5	0.77	0.20	4.3
C513	82.0	146.0	64.0	0.89	0.22	61.8
C514	63.5	94.0	30.5	0.93	0.25	29.5
	97.0	117.6	20.6	0.86	0.20	19.9
C515	130.3	146.5	16.2	0.55	0.16	15.6
	149.5	173.5	24.0	0.61	0.18	23.2
	185.5	191.3	5.8	0.63	0.14	5.6
C516	208.3	212.8	4.5	0.65	0.18	4.3
	221.6	226.9	5.3	0.89	0.24	5.1
C517	3.0	39.0	36.0	0.82	0.25	34.8
	43.5	59.3	15.8	0.52	0.26	15.3
	62.5	74.7	12.2	0.83	0.23	11.8

Hole	From (m)	To (m)	Length (m)	Ni %	Cu %	Vertical Thickness (m)
C518	153.0	157.5	4.5	0.60	0.17	4.3
	166.5	172.5	6.0	0.76	0.22	5.8
C519	131.1	137.0	5.9	0.93	0.25	5.7
	146.7	155.5	8.8	0.78	0.32	8.5
C520	99.6	107.0	7.4	0.86	0.22	7.1
	113.0	122.0	9.0	0.82	0.20	8.7
C521	5.2	30.5	25.3	0.92	0.26	24.4
	41.4	66.4	25.0	1.02	0.18	24.2
C522	183.0	193.5	10.5	0.71	0.18	10.1
	198.0	206.3	8.3	0.88	0.18	8.0
C523	104.2	122.0	17.8	0.72	0.26	17.2
	131.0	146.9	15.9	0.59	0.18	15.4
	151.3	160.0	8.7	0.66	0.23	8.4
	170.0	181.5	11.5	0.87	0.23	11.1
C524	57.3	64.2	6.9	1.38	0.27	6.7
	68.4	129.5	61.1	0.87	0.11	59.0
C525	20.5	41.5	21.0	0.87	0.28	20.3
	80.5	92.9	12.4	0.62	0.20	12.0
2018 Avg.	30.2 m per Hole 13.7 m per Interval			0.84	0.21	
Target	27.3 m per Hole 13.6 m per Hole			0.76	0.20	

30 June 2018

Ikenskoie / Sobolevsky

Drill Results - RFA

Hole	From (m)	To (m)	Length (m)	Ni %	Cu %	Vertical Thickness (m)
C386	2.9	9.8	6.9	0.92	0.30	6.9
C388	4.5	10.5	6.0	0.47	0.12	6.0
	16.5	23.8	7.3	0.72	0.30	7.3
	27.0	30.0	3.0	0.39	0.10	3.0
C391	53.5	61.0	7.5	0.74	0.25	7.5
	68.5	76.8	8.3	0.61	0.21	8.3
C392	67.7	77.7	10.0	0.77	0.22	10.0
	83.7	93.8	10.1	0.86	0.22	10.1
C394	29.5	37.0	7.5	0.75	0.23	7.5
C395	5.5	13.0	7.5	0.71	0.17	7.5
	19.0	30.5	11.5	0.71	0.21	11.5
C396	34.9	39.2	4.3	0.53	0.10	4.3
	68.5	79.3	10.8	0.85	0.29	10.8
C397	56.5	61.0	4.5	0.59	0.15	4.5
C398	10.0	20.2	10.2	0.60	0.20	10.2
C399	23.5	33.3	9.8	1.08	0.23	9.8
	45.6	53.2	7.6	0.80	0.27	7.6
2018 Avg.	13.3 m per Hole 7.8 m per Interval			0.74	0.22	
Target	17.0 m per Hole 9.8 m per Hole			0.79	0.20	


Kubuk Drill Results - RFA



Hole	From (m)	To (m)	Length (m)	Ni %	Cu %	Vertical Thickness
C530	124.0	133.0	9.0	0.54	0.15	9.0
	137.5	150.4	12.9	0.96	0.24	12.9
C531	149.8	159.0	9.2	0.56	0.16	9.2
C532	161.4	184.4	23.0	0.44	0.12	23.0
C533	In Sample Preparation At Site – Host Rock from 124.0 to 145.0 m					
C534	In Sample Preparation At Site – Layered Host Rock from 70.0 to 138.0 m					
C535	In Sample Preparation At Site – Layered Host Rock from 80.0 to 138.0					
C536	Drilling In Progress – Host Rock from 127.5 to 144.5 m					
2018 Avg.	18.0 m per Hole 13.5 m per Interval			0.60	0.16	
Target	19.6 m per Hole 12.8 m per Hole			0.77	0.21	

30 June 2018

Ikenskoie / Sobolevsky Inferred to Indicated Conversion - Underway



30 June 2018

High Grade Resource Upgrade Drill Results - RFA



Hole	From (m)	To (m)	Length (m)	Ni %	Cu %	Vertical Thickness
C600	166.7	209.5	42.8	0.98	0.30	42.8
C601	152.0	155.0	3.0	0.91	0.20	3.0
	159.6	172.1	12.5	0.88	0.24	12.5
	176.3	205.6	29.3	1.12	0.26	29.3
C602	201.9	209.5	7.6	0.79	0.12	7.6
	212.5	229.3	16.8	0.84	0.22	16.8
C603	271.0	278.5	7.5	0.93	0.19	7.5
	287.5	293.1	5.6	0.69	0.15	5.6
C604	235.8	238.8	3.0	0.40	0.04	3.0
	247.0	253.6	6.6	0.63	0.17	6.6
C605	No Mineralisation					
C606	124.0	130.9	6.9	0.79	0.17	6.9
C607	88.0	97.0	9.0	0.44	0.13	9.0
	104.5	112.0	7.5	0.98	0.20	7.5
C608	63.0	76.0	13.0	0.92	0.23	13.0
	82.0	116.5	34.5	1.09	0.27	34.5
C609	No Mineralisation					
C610	188.5	235.0	46.5	0.85	0.28	46.5
C611	171.6	176.5	4.9	1.08	0.23	4.9
	181.0	214.0	33.0	0.57	0.23	33.0
C612	383.2	399.4	16.2	0.71	0.20	16.2
C613	No Mineralisation					
2018 Avg.	23.6 m per Hole 14.6 m per Interval			0.87	0.24	30 June 2018
Target	28.7 m per Hole 17.2 m per Hole			0.94	0.26	

Analytical Results – Cautionary Comment



Analytical results presented in this and upcoming RNS announcements are derived from two sources, internally and independently generated results. The internal Company generated results are defined using one of two Niton XL2 500 X-Ray Fluorescence units (“RFA”). The RFA units provide initial results allowing for a rapid turnaround to assist in decision making to finalise drill hole site selections and are considered to be indicative and preliminary. Use of these results is not without risk if the units have not been rigorously tested and calibrated. Annually, at the beginning of every field season and on a daily basis, these units undergo a calibration protocol that uses standards provided with the units and results from existing samples that have been analysed by external facilities (ASL).

The final and definitive source of analytical results is produced by ASL located in Moscow, Russia. This fully independent, licenced and certified laboratory is the source of the information used in resource estimation. The ASL results provide a greater accuracy than that of the RFA units especially for values in excess of 1.0% nickel. RPM has reviewed the Company’s sample preparation, sample collection and check assaying related to ASL and has confirmed that AMC’s protocols for analytical determination meet industry standards.

Results reported within this RNS include a combination of the RFA and ASL results. The distribution of the RFA and ASL results follow:

- The May 2018 drill update included RFA only results.
- This June 2018 update includes ASL results received subsequent to the May 2018 update. The newly acquired ASL results have been incorporated into this RNS and replace the previously reported RFA analytical results generated by the Company.
- The available ASL results are limited to the first 13 of the 19 holes that have been drilled at MKF deposit.

30 June 2018